

L Number	Hits	Search Text	DB	Time stamp
1	279	(600/309-344,473-476.ccls.) not ("2003" "2002" "2001" "2000" "1999" "1998").AY. and ((spiral hollow needle screw\$3) same (LED laser optical fiber light electromagnetic radiation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:22
2	240	(fetus fetal) and (oximet\$ ((saturated (blood with (content level)) saturation) with oxygen) oxymet\$3) not ("2003" "2002" "2001" "2000" "1999" "1998").AY. and needle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:22
3	161	(fetus fetal) same (oximet\$ ((saturated (blood with (content level)) saturation) with oxygen) oxymet\$3) not ("2003" "2002" "2001" "2000" "1999" "1998").AY.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:23
4	53	((fetus fetal) same (oximet\$ ((saturated (blood with (content level)) saturation) with oxygen) oxymet\$3) not ("2003" "2002" "2001" "2000" "1999" "1998").AY.) and red and infrared	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:23
5	56	(600/\$.ccls. 356/39-42.ccls.) and (fetus fetal) and (oximet\$ ((saturated (blood with (content level)) saturation) with oxygen) oxymet\$3) and needle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:23
6	104	(fetus fetal) and (oximet\$ ((saturated (blood with (content level)) saturation) with oxygen) oxymet\$3) not ("2003" "2002" "2001" "2000" "1999" "1998").AY. and ((spiral hollow needle screw\$3) same (LED laser optical fiber light electromagnetic radiation emitt\$3 detect\$3 diode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/23 09:24